

PROFESSIONAL PNEUMATIC TOOLS FASTENERS, COIL NAILS



Industry Assembling



Automotive



Motorcycle



Agriculture Machine



SOKO PRODUCTS

- Staplers & Staple Pins
- Carton Closing Staplers
- 80 Series Staple Pins
- N Series Staple Pins
- 16 WC Series Staple Pins
- 23 Series Staple Pins
- Coil Nails & Nailers
- Corrugated Fastener and Tools
- Impacts Wrenches
- Screw Drivers, Sanders
- Clinching Tools
- Hog Ringers
- Hand Tackers
- Air Compressors

SF SOKO
FASTENERS
THE FASTENING SOLUTION




ABOUT SOKO FASTNERS

"Dealing in all type of Staple Pins, Coil Nails, Coil Nailers, Staplers, Mattress Stapler , Clinching Tools, Padding Staplers, Carton Closing Staplers, Plier Staplers, Hog Ringers , C Ring, Zig Zag Spring , 80 Series Staple Pins, N Series Staple Pins, 16 WC Series Staple Pins, Head Less Pins, Corrugated Fastener and Tools, Impacts Wrenches, Screw Drivers, Sanders, Grinders, Riveters, 23 Series Staple Pins, Hand Tackers, Air Pipe, Quick Couplings, Air Compressors and All Types of Pneumatic fittings..."

OUR PRODUCTS


SOKO 8016 CLASSIC

Model : Pneumatic Stapler 8016
 WT. : 1.0KGS / 1.1 KGS
 APPLICATIONS : Upholstery Furniture Sofa mfr.,
 Chair Mfr. Flush door, Window
 Net Packaging
 SIZE : 80 Series (3mm to 16mm)




SOKO 8016 LN PNEUMATIC STAPLER

Model : 8016 LN
 Air Inlet : 1/4"
 Wt. : 1000gms
 APPLICATIONS : Sofas, Chairs, Modular Kitchens,
 Wooden Flooring, Flush doors,
 Carrom boards, Artist Canvas,
 Screen Printing
 Air Pressure : 50-90psi




SOKO F32 ELITE

Model : Pneumatic Bradder 18 Gauge
 APPLICATIONS : Modular Interiors, Paint Brush
 Wall Clocks, Handicrafts,
 Carrom Boards
 SIZE : 18 G/F Series Brads
 10mm to 32mm




SOKO F-50 BRAD NAILER 18GA

Model : F-50
 Wt. : 1.4 Kgs (3.1lbs)
 APPLICATIONS : Modular Interiors, Paint Brush
 Wall Clocks, Handicrafts,
 Carrom Boards
 Air Pressure : 5-8kgf/cm
 SIZE : H 241mm 9.5" x W 60mm 2.4"
 x L 240mm 9.4"



SOKO T-50, 16GA50 BRAD NAILER

Model : T-50
 Wt. : 2.2 KG
 APPLICATIONS : Windows Door, Cabinets,
 Interior Decoration
 SIZE : 15-50mm




SOKO Elite 1013J Stapler Machine

Model : 1013J-A1
 Wt. : 1.48 kg
 Capacity : 100pcs
 Lengths : 6-13mm
 APPLICATIONS : Furniture making, upholstery,
 fabric attachment




SOKO 9040 TRENDY

Model : LU 9040 HAC
 (Pneumatic Stapler 90 Series (18G))
 WT. : 1.7 KGS
 APPLICATIONS : Sofa Framing, Furniture Cabinets,
 Pallets, Handicrafts,
 Textiles Samples
 SIZE : 90 Series (12mm to 40mm)




SOKO N50S CLASSIC

Model : N-50S (Pneumatic Stapler
 100/N Series (16G))
 Wt. : 2.9 Kgs
 APPLICATIONS : Sofa Framing, Furniture, Bedding
 Door, Window, Packaging,
 Cabinets, Pallets
 SIZE : 100/N Series (16mm to 50mm)



SOKO 2540 B01 CLASSIC

Model : Pneumatic Stapler Wide Crown
 (16WC)
 WT. : 3.1 KGS
 APPLICATIONS : Roofing Packaging
 Flush Doors Porta Cabins
 Edge Boards Pallets
 SIZE : 16 WC Series (16mm to 38mm)



SOKO P635 ELITE

Model : PT 635 L
 (Pneumatic Pinner 23 Gauge)
 WT. : 1.0KGS
 APPLICATIONS : Furniture, Interiors Veneer Fixing,
 Handi Crafts, Wall Clocks
 SIZE : 12mm to 35mm
 (23 Gauge Headless Pins)



SOKO 23 SERIES MANUAL HAND TACKER

Model : 23 SERIES
 Air Inlet : 1/4"
 Wt. : 0.92 Kgs
 APPLICATIONS : Stretching canvas (Picture Framing)
 Seat Cover
 AIR PRESSURE : 5-8kgf/cm




HM 515 FRAME TACKER MANUAL NAILER

Model : HM515
 Wt. : 2.2 KG
 APPLICATIONS : Efficient picture framing
 tacker for a easy use.
 SIZE : T: 0.33mm X W: 5.00 X H: 15.00mm




SP50-10B AIR PLIER STAPLER

Model : SP50-10B
 Air Inlet : 1/4"
 Wt. : 4.5 lbs
 APPLICATIONS : carton packaging, end caps,
 corrugated trays,
 Air Pressure : 36-55psi
 Staples : SB103020 3/8" , SB103020 1/2" ,
 SB103020 5/8"




SOKO 88 XPRO (PLIER)

Model : 88 XPRO
 Wt. : 2.2 KG
 APPLICATIONS : Automotive/
 Construction, Carton, Coir Mats,
 Car Seats, Mattress Assembly
 SIZE :
 306h x 63w x 362l




SOKO CS 19-CS 22 XPRO

Model : CS 19 XPRO & CS 22 XPRO
 Pneumatic Carton Closer
 Wt. : 1.8 Kgs & 2.0 Kgs
 APPLICATIONS : To Close Corrugated Boxes
 SIZE : 35 Series
 15 mm to 18 mm & 18 mm to 22 mm




SOKO MCS-19-7437

Model : MCS-19-7437 (Manual)
 Wt. : 1.9 kgs (4.2 lbs)
 APPLICATIONS : To Close Corrugated Boxes
 SIZE : 35 Series
 15 mm to 18 mm & 18 mm to 22 mm




SOKO PCN 55 M. PRO CLASSIC

Model : PCN 55 M. PRO CLASSIC
 WT. : 2.6 kgs (5.7 lbs)
 APPLICATIONS : Pallet Assembly, Crate Assembly
 Drum Construction,
 Mattress Box Assembly
 Manufactured Housing Bedding
 SIZE : 25~57mm (1"~2-1/4")
 Nail Head Dia. : 5.0~5.7mm (0.197"~0.224")
 Nail Shank Dia. : 2.1-2.5mm




SOKO PCN 70 COIL NAILERS

Model : PCN 70 M. PRO
 WT. : 3.6 kgs (7.9 lbs)
 APPLICATIONS : Pallet Assembly, Crate Assembly
 Drum Construction,
 Mattress Box Assembly
 Manufactured Housing Bedding
 SIZE : 45~70mm (1-3/4"~2-3/4")
 Nail Head Dia. : 5.7~7.2mm (0.224"~0.283")
 Nail Shank Dia. : 2.3~2.9mm (0.092"~0.113")




SOKO PN 80 COIL NAILERS

Model : PCN 80 M. PRO CLASSIC
 WT. : 3.96 kgs (8.7 lbs)
 APPLICATIONS : Pallet Assembly, Crate Assembly
 Drum Construction,
 Mattress Box Assembly
 Manufactured Housing Bedding
 SIZE : 50~83mm (2"~3-1/4")
 Nail Head Dia. : 5.7~7.2mm (0.224"~0.283")
 Nail Shank Dia. : 2.5~3.3mm (0.099"~0.131")




SOKO PN 90 X PRO

Model : PN 90X PRO
 WT. : 3.7 kgs (8.2 lbs)
 APPLICATIONS : Pallet Assembly
 Crate Assembly, Drum Construction
 Mattress Box Assembly,
 Manufactured Housing Bedding
 SIZE : 50~90mm (2"~3-1/2")
 Nail Head Dia. : 6.5~7.7mm (0.256"~0.303")
 Nail Shank Dia. : 2.5~3.8mm (0.099"~0.148")




SOKO PN 100 B X PRO

Model : PN 100 B X PRO
 WT. : 5.5 kgs (12.1 lbs)
 APPLICATIONS : Wooden Pallet,
 Drum and Crate Construction
 SIZE : 65~100mm (2-1/2"~4")
 Nail Head Dia : 6.5~7.5mm (0.256"~0.295")
 Nail Shank Dia : 2.5~3.3mm (0.099"~0.131")



SOKO PN 130 B X PRO

Model : PN 130 B X PRO
 WT. : 6.0 kgs (13.2 lbs)
 APPLICATIONS : Pallet Assembly, Crate Assembly
 Drum Construction,
 Mattress Box Assembly
 Manufactured Housing, Bedding
 SIZE : 90~130mm (3-1/2"~5-1/8")
 Nail Head Dia : 7.5~8.6mm (0.295"~0.338")
 Nail Shank Dia : 3.3~3.8mm (0.131"~0.150")



SPECIALTY TOOLS


SOKO PHC-A 815 MXPRO

Model : PHC-A815-M
(Pneumatic Hog Ringer)
Wt. : 1.45 Kgs
APPLICATIONS : Spring Bed, Mattress Auto Seat,
Bag Closer Wire Mesh Closer,
Cage Grid Secure
SIZE : C/Hog Rings
15 Gauge 19 mm / 3/4"
(Closing 7.9 to 10.7 mm)




SOKO CF 15 S CLASSIC

Model : CF 15 S CLASSIC
Wt. : 2.9 Kgs
APPLICATIONS : Wood Joints Fastening, Window Frame
Corner & Butt Jointing, Furniture,
Cabinet Pallet & Crate, Truss & Roofing
SIZE : 100/N Series (16mm to 50mm)
Length : 25.4mm (1")
Width : 9, 12, 15mm (3/8", 1/2", 5/8")
Thickness : 2.2mm (0.086")



SOKO Jk2430 CLASSIC

Model : SP2432
Wt. : 2.5 Kgs
HEIGHT : 22.4mm
Lengths : 340mm
Width : 67mm
Working Pressure : 5~7 bar
Max Pressure : 8 bar
Magazine
Capacity : 100 pcs staple



APPLICATIONS
Fiberboard,
Corrugated


SOKO N-40L STAPLER

Model : N-40L
Wt. : 1.49KG/3.28LBS
APPLICATIONS : For Sofa Industry Only Applicable as
hook of zigzag springs.
SIZE : 36mm




M66 TRENDY

Model : M66 TRENDY
WT. : 3.0 kgs
APPLICATIONS : Automotive Seating,
Auto Control Cables,
Bagging, Bungee,
Bedding-Ticking to Inner Spring/
Border Wire
SIZE : 19-22 mm
Crown : 7.9 mm
Height : 12.5-15.5 mm



BD 70 ELITE

Model : BD 70ELITE
WT. : 1.48 kgs
APPLICATIONS : Pallet Repairing
SIZE : 20~70mm
NAIL DIA : 2-3.5mm
5.5-7.0mm



BATTERY OPERATED STRAPPING TOOL


Spare Parts Included : Two Battery, One Charger And Commonly Used Tool

Model	: JDC 13 / 16
Color	: Black & Blue
Strap Width	: 13-16 Mm
Thickness	: 0.4-1.2mm
Battery	: 4.0ah 12vcd
Charge Time	: 90minutes
Battery Run	: 250 Strap
Maximum Tension	: 3000n
Charger	: 110v - 240v, 50-60hz
Sealing	: Friction And Welding
Weight	: 3.2kg
Dimension	: L340 X W130 X H120mm



SOKO P515 PNEUMATIC FLEXI POINT NAIL GUN

Model	: P515
Air Inlet	: 1/4"
Wt.	: 0.92 Kgs
APPLICATIONS	: Photo Frames, Air Powered Nailer Pneumatic Nail Gun Stapler, Comfortable Grip Fast Nailing for Carpentry By Wall Essential
Air Pressure	: 5-8kgf/cm



SOKO PNEUMATIC STRAIGHT SCREW DRIVER-2062-6H

Model	: 2062-6H
Wt.	: 820grm
Torque	: 30(22)nm (ft.-lb.)
Type Products	: Air Screwdriver
Bolt Capacity	: 4 to 5 mm
Free Speed	: 10500RPM
Air Pressure	: 90PSI



SOKO 2 HP OIL FREE & NOISELESS AIR COMPRESSOR

Elephant 2 HP oil free & noiseless air compressor 50 Litre tank 100% copper winding.

Power	: 2HP
Speed	: 1440 rpm
Max Delivery	: 2*135 L/min
Max. Pressure	: 8 bar
Tank Volume	: 50 Lit.
Weight (N.W)	: 42 kg



SOKO PNEUMATIC PP & PET STRAPPING TOOLS ADQ-19

Model	: ADQ-19
Wt.	: 3.8 kgs
Strapping Width	: 13-19 mm
Thickness	: 1.0-1.5 mm
Type of seal	: Friction weld
Strap material	: PET/PP
APPLICATION	: All type of packagings



V-NAILER V1015 (PNEUMATIC PICTURE FRAMING NAILER)

Model	: V1015
Wt.	: 1.49KG/3.28LBS
APPLICATIONS	: Ideal v-nailer for art & picture frames and door assembly
SIZE	: L10.62" (270MM) X 2.55"(65MM)
AIR INLET	: 1/4" NPT



SANDER 6" ELITE

Non-Vacuum Palm Air orbital Sander


Air Inlet	: 1/4"
Air Inlet	: 1/4" - 18 NPT
Max. Free Speed	: 9000 RPM
Air Pressure	: 90 PSI (6.2BAR)
Orbital Diameter:	5
Hose Size ID	: 1/4"
Net Wt	: 0.94kg (2.07lb)



**TOOLS &
CONSUMABLES FOR
PACKAGING**




**80 SERIES
STAPLE PINS**




BRAD NAILS



**16W SERIES
STAPLE PINS**



**35 SERIES
STAPLE PINS**



**100 SERIES
STAPLE PINS**



**PLASTIC
STAPLE PINS**



**23 SERIES
STAPLE PINS**



**PLASTIC
STRIP NAILS**



**SCREW SHANK
COIL NAIL**




**SMOOTH SHANK
COIL NAILS**



QRC




**JK SERIES
STAPLE PINS**



**90 SERIES
STAPLE PINS**



**ZIG ZAG SOFA
CLIP**



**HEADLESS
PINS**



**ZIG ZAG
SPRING**



**CORRUGATED
FASTENERS**



**CLINCHING
CLIP-M66**



HOG RING



**PU SPRING TUBE
AIR PIPE, AIR GUN**



Marketed by : SOKO Fastners
157B/3, Siddhi Industrial Estate, Waghodia, Vadodara-391760, Gujarat, India.

W: www.sokofasteners.in | E: office@sokofasteners.in
M: +91 74908 03051 | M: +91 85119 03051